

NEW JERSEY STANDARD SIGN MANUAL

NEW JERSEY DEPARTMENT OF TRANSPORTATION BUREAU OF TRAFFIC ENGINEERING

DATE: DECEMBER 2011

3RD EDITION

## NEW JERSEY STANDARD SIGN MANUAL

#### **GENERAL NOTES:**

THE SIGNS IN THIS MANUAL HAVE BEEN NUMBERED TO COINCIDE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" WHENEVER POSSIBLE.

QUESTIONS AND COMMENTS MAY BE SENT TO:

NEW JERSEY DEPARTMENT OF TRANSPORTATION

**BUREAU OF TRAFFIC ENGINEERING** 

**1035 PARKWAY AVENUE** 

P.O. BOX 600

TRENTON, NEW JERSEY 08625-0600

ATTN: NJ SIGN MANUAL


# NJDOT ARROW SIZES FOR NEW JERSEY STANDARD SIGNS

# VERTICAL & HORIZONTAL ARROWS

#### SKEWED ARROWS

ø = 0° or 90° (\( \times L)	$\emptyset = 30^{\circ}$ (A × B)	$\emptyset = 45^{\circ}$ $(A \times B)$	$\emptyset = 6\emptyset^{\bullet}$ $(A \times B)$
2" × 3"	3" × 2"	2½" × 2¾"	2" × 3"
2½" × 3½"	3¾" × 2½"	3" × 31/4"	$2\frac{1}{2}$ " × $3\frac{3}{4}$ "
3" × 4½"	4¼" × 2½"	3½" × 3½"	2¾" × 3¾"
4" × 9½"	9" × 5½"	7½" × 7½"	5½" × 9"
4" × 18"	16" × 10 1/4"	13" × 13¾"	10 1/4" × 16"
5" × 9½"	$7 " \times 4 \%"$	7½" × 7½"	$4\frac{3}{4}^{8} \times 7^{8}$
5" x 22 1/2"	20 1/4" × 13"	$17\frac{1}{4}$ " × $17$ "	13" × 201/4"
6" × 9½"	9" × 6"	7½" × 7½"	6" × 9"
6" x 22"	20" × 13 ¼"	16½" × 16½"	13 ¼ " × 20"
7" × 9½"	9" × 6½"	$7\frac{3}{4}$ " × 8"	6½" × 9"
7" x 22"	20" × 13½"	17 1/4" × 16 3/4"	13 ½" × 2Ø"
8" × 15½"	14½" × 9¼"	12 1/4" × 12 1/4"	9¼" × 14½"
8" x 25 ½"	23 ½" × 16"	20 1/4" × 19 1/2"	16" × 23½"
$10^{"} \times 14"$	13" × 9½"	11¼" × 11¼"	9½" × 13"
12" × 16"	15" × 11½"	13" × 13"	11½" × 15"






NOTE: This table expresses arrow sizes in two ways. The first approach uses length L and width W (see diagram above left). These dimensions are shown in the first column above. The second approach takes into account the skew angle from horizonal and dimensions a rectangle surrounding the arrow. The diagram (above right) shows how these dimensions would be derived. These dimensions are shown in the second, third and fourth columns. Measurements for arrows shown in this manual are referenced to the first (W xL) approach, but can be referenced to the other approach by reading across the table to the appropriate skew angle.

#### LETTER SIZE

## TYPE OF ARROW

4"



5"



6"





7**"** 



8"

8" LONG






6" D

16" E

6" D

16" E


R(NJ)2-2



<u>(A</u>	X	<u>B)</u>
18"	X	30"
24"	X	36"
36"	X	60"
48"	X	72"

C	D	E	F
3" E	3″ E	3" E	8" E
4" E	4" E	4" E	10" E
6" E	6" E	6" E	14" E
8" E	8" E	8" E	16" E

## NOTE: THIS SIGN IS SUPERSEDED BY R2-10/R2-6P



**COLORS:** 

"FINES DOUBLED, 65 MPH ZONE"

TEXT - WHITE


BACKGROUND - BLACK

"SPEEDING AND OTHER VIOLATIONS"

TEXT - BLACK

BACKGROUND - WHITE

NOTE: THIS SIGN IS SUPERSEDED BY R2-10/R2-6P





## **R(NJ)3-1A**

(A x B) 42" x 12" 4" C 54" x 12" 5" C 60" x 12" 6" C (STANDARD SIZE)

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY. \* REDUCE SPACING TO FIT PANEL WIDTH.



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS SUPERSEDED BY R3-1 SIGN.



## **R(NJ)3-2A**

(A x B) 42" x 12" 54" x 12" 60" x 12" 6" C (STANDARD SIZE) C


**COLORS:** TEXT - BLACK **BACKGROUND - WHITE** 

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



**COLORS:** TEXT - BLACK **BACKGROUND - WHITE** 

NOTE: THIS SIGN IS SUPERSEDED BY R3-2 SIGN.




C

D

## **R(NJ)3-2C**

TEXT - BLACK
BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



#### **LETTERS**

6" C


"U" - 6" E "NO","TURN"- 6" C

**R(NJ)3-2D** 


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.

### **NOTE: THIS SIGN IS SUPERSEDED BY R3-18**




COLORS: SYMBOLS – BLACK CIRCLE, SLASH – RED BACKGROUND – WHITE



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN MAY BE USED AS A SUPPLEMENTARY PLATE ONLY WHEN MOUNTED BENEATH R(NJ)3-2E.



# R(NJ)3-3


(A x B)	C		
30" x 12"	4‴ C		
36" x 12"	5″ C		
42" x 12"	6" C		
60" x 12"	6" D	(STANDARD	SIZE)

**LETTERS** 

C

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY



NOTE: THIS SIGN SUPERSEDED BY R(NJ)3-3B SIGN.



COLORS:

TEXT - BLACK BACKGROUND - WHITE


NOTE:

USUALLY MOUNTED BELOW R3-3 SIGN ON INTERSTATE HIGHWAYS.



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY R3-4 SIGN.




**LETTERS** 

"U" - 6" E "NO", "TURN"- 6" C

**R(NJ)3-4A** 


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



**R(NJ)3-5L** 

COLORS: TEXT - BLACK BACKGROUND - WHITE





\* 5″ C

\* 5″ C

5" C

30"

ARROW: WIDTH: 5"

LENGTH: 71/2 "

ANGLE: 45°

**R(NJ)3-7L** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

\* REDUCE SPACING TO FIT PANEL WIDTH.



R(NJ)3-7AL

**LETTERS** 

5" C

5" C


5" C

ARROW: WIDTH: 5"

LENGTH: 71/2 "

ANGLE: 45°

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE (SEE DETAIL FOR R(NJ)3-7L.)



R(NJ)3-7BL

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE **LETTERS** 

4" C

4" C

4" C

4" C

ARROW: WIDTH: 5"

LENGTH: 71/2 "

ANGLE: 45°



**★** 5″ C

\* 5" C

5" C

....


ARROW: WIDTH: 5"

LENGTH: 7½ "
ANGLE: 45°


R(NJ)3-7LA

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE


\* REDUCE SPACING TO FIT PANEL WIDTH.



**R(NJ)3-8A** 




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



4" C

**R(NJ)3-8C** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C


**R(NJ)3-8D** 



4" C

**R(NJ)3-8E** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




**LETTERS** 

4" C


**R(NJ)3-8F** 




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE






**R(NJ)3-8K** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




R(NJ)3-8L



4" C

**R(NJ)3-8M** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C


**R(NJ)3-8N** 



4" C

**R(NJ)3-8P** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




**LETTERS** 

4" C


**R(NJ)3-8Q** 



COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




R(NJ)3-8S




4" C

**R(NJ)3-8T** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




**R(NJ)3-8U** 



4" C

**R(NJ)3-8V** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C


**R(NJ)3-8W** 



4" C

**R(NJ)3-8X** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C

**R(NJ)3-8Y** 




C

**R(NJ)3-8Z** 

(A x B)	C	
30" x 12"	6" C	
36" x 12"	6" D	
36" x 18"	7" D	
48" x 18"	8" D	

COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: MAY BE MOUNTED BENEATH R3-8 OR R(NJ)3-8 SERIES SIGNS.



**LETTERS** 

4" C


R(NJ)3-8AA



4" C

R(NJ)3-8BB


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C


R(NJ)3-8CC



4" C

## R(NJ)3-8DD


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



R(NJ)3-8EE


COLORS:

ARROW - BLACK
BACKGROUND - WHITE




R(NJ)3-8FF

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




R(NJ)3-8GG



4" C

**R(NJ)3-8HH** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 


4" C

**R(NJ)3-8II** 




**R(NJ)3-8JJ** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



R(NJ)3-8KK




**LETTERS** 

4" C

R(NJ)3-8LL


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C


R(NJ)3-8MM




R(NJ)3-8NN

**LETTERS** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



R(NJ)3-8PP




**LETTERS** 

4" C

**R(NJ)3-8QQ** 


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C

R(NJ)3-8RR




**LETTERS** 

4" C

R(NJ)3-855


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

4" C

R(NJ)3-8TT




**R(NJ)3-8UU** 


**LETTERS** 

4" C

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE





R(NJ)3-8VV




R(NJ)3-8WW colors:

TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE






COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



R(NJ)3-8ZZ




**LETTERS** 

4" C

R(NJ)3-8AAA





4" C


R(NJ)3-8BBB




**R(NJ)3-9C** 

COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: THIS SIGN SUPERSEDED BY R3-9b SIGN.



R(NJ)3-18



COLORS: TEXT - BLACK BACKGROUND - WHITE



COLORS: TEXT - BLACK BACKGROUND - WHITE



**LETTERS** 

C

D

**R(NJ)4-7D** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

(A x B)	AxB) C D		ARROW			
24" x 30"	4‴C	4" C *	6" x 16"			
36" x 48"	8" C	8" B	8" x 25 ½"			




LETTERS

C

D

R(NJ)4-7DA

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

(A x B)	C	D	<b>ARROW</b>		
24" x 30"	4‴ C	4" C*	6" x 9 ½"		
36" x 48"	8" C	8" B	8" x 15 ½"		



**R(NJ)4-7E** 

COLORS: TEXT - BLACK BACKGROUND - WHITE



**NOTE: THIS SIGN IS SUPERSEDED BY R4-16.** 

**BACKGROUND - WHITE** 



R(NJ)5-1

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY R5-1 SIGN.



**R(NJ)5-2A** 

COLORS: TEXT – BLACK BACKGROUND – WHITE

NOTE: THIS SIGN IS OBSOLETE.



**R(NJ)5-2B** 

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS TO BE USED WITH OVERHEAD OR GROUND MOUNTED GUIDE SIGNS ONLY.



COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: THIS SIGN IS SUPERSEDED BY R5-10 SERIES SIGNS.




#### **R(NJ)5-11A**


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY R(NJ)5-11B SIGN.




### **R(NJ)5-11B**





R(NJ)5-13A

COLORS: TEXT - BLACK BACKGROUND - WHITE






COLORS:

TEXT - BLACK BACKGROUND - WHITE




R(NJ)5-14B




R(NJ)5-14C

#### **NOTE: THIS SIGN IS SUPERSEDED BY R5-8.**



АхВ	С	D	E		
24" x 24"	4" D	3" C	3" C		
30" x 30"	7" D	4" C	4" C		



#### **LETTERS**

C

\_


D

E


### **R(NJ)5-17**


COLORS: TEXT - BLACK BACKGROUND - WHITE

(A x B) 48" x 30" 60" x 36" C 7" D 5" C 7" D 5" C 8" D 6" C



COLORS: TEXT - BLACK BACKGROUND - WHITE





# R(NJ)6-4



COLORS: TEXT - RED BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY R7-1L OR R7-1R SIGNS.



COLORS: TEXT - RED BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY R(NJ)7-4L, R(NJ)7-4R OR R(NJ)7-4X SIGNS.



### R(NJ)7-4L

COLORS:
TEXT - RED
ARROW - RED
BACKGROUND - WHITE
SEE DETAIL FOR R(NJ)7-4X
FOR SIGN, TEXT AND ARROW SIZES.



#### R(NJ)7-4R

COLORS:
TEXT - RED
ARROW - RED
BACKGROUND - WHITE
SEE DETAIL FOR R(NJ)7-4X
FOR SIGN, TEXT AND ARROW SIZES.



#### R(NJ)7-4TL

COLORS:
TEXT - RED
ARROW - RED
BACKGROUND - WHITE
SEE DETAIL FOR R(NJ)7-4TX
FOR SIGN, TEXT AND ARROW SIZES.



### R(NJ)7-4TR

COLORS:
TEXT - RED
ARROW - RED
BACKGROUND - WHITE
SEE DETAIL FOR R(NJ)7-4TX
FOR SIGN, TEXT AND ARROW SIZES.



# R(NJ)7-4X

COLORS: TEXT -- RED ARROW -- RED BACKGROUND -- WHITE


SIGN	DIMENSIONS								
	A	В	С	D	E	F	G		
STATE HIGHWAY	18"	24"	4″D	2½″C	2½″C	2½″C	21/2"	х	8½"
LOCAL ROADWAYS	12"	18"	3″D	2″C	2″C	2″C	21/4"	x	73/11



## R(NJ)7-4TX

COLORS: TEXT - RED ARROW - RED BACKGROUND - WHITE

SIGN	DIMENSIONS							
	Α	В	C	D	E	F	G	
STATE HIGHWAY	18"	24"	4″D	2½"C	2½″C	2½″C	2½" x 8½"	
LOCAL ROADWAYS	12"	18"	3″D	2″C	2″C	2″C	21/4" x 73/4"	



R(NJ)7-8A

COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: THIS SIGN SHALL BE USED IN CONJUCTION WITH SIGN R7-8.




R(NJ)8-3

COLORS: TEXT - RED BACKGROUND - WHITE

NOTE: TEMPORARY TYPE SIGNS TO BE USED WITH ORDINANCES PROHIBITING PARKING FOR SNOW REMOVAL AND OTHER EMERGENCIES.



COLORS: TEXT - RED BACKGROUND - WHITE



3" C

3" C

3" C

3" C

R(NJ)8-9

COLORS: TEXT - BLACK BACKGROUND - WHITE



R(NJ)8-10

COLORS:
"NO PARKING"

TEXT - WHITE

BACKGROUND - RED


"WHEN ROAD IS SNOW COVERED"

TEXT - RED

BACKGROUND - WHITE

(A x B)	С	D	E	F	G		
12" x 18"	3" C	3" B	2" B	2" B	2" B		
18" x 24"	4" C	4" B	2" C	2" C	2" C		


NOTE: PERMANENT TYPE SIGNS TO BE USED WITH ORDINANCES PROHIBITING PARKING TEMPORARY FOR PLOWING.



R(NJ)8-15


COLORS: TEXT - BLACK BACKGROUND - WHITE

#### NOTE: THIS SIGN IS SUPERSEDED BY R9-3bP(L).




COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

#### NOTE: THIS SIGN IS SUPERSEDED BY R9-3bP(R).



COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



R(NJ)9-3CL

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE


#### **LETTERS**

4" C

ARROW: WIDTH: 5"

LENGTH: 14"

ANGLE: 0°



R(NJ)9-3CR

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE


#### **LETTERS**

4" C

ARROW: WIDTH: 5"

LENGTH: 14"

ANGLE: 0°




## R(NJ)9-9A

COLORS: TEXT - RED SYMBOLS - RED & BLACK BACKGROUND - WHITE

### THIS SIGN IS SUPERSEDED BY R(NJ)9-9S

		A SHORT SHORT ST			-	pe nAne essas essas esAnh BAN	DI	MENS	10N	S (IN	CH	ES)								
SIGN	А	В	С	D	E	F	G	Н	J	К		L	M	N	0	P	Q	R	S	Т
STANDARD (URBAN)	18	24	1/2	11%	3/4	1 1/16	21/2	9	5/8	11/2"	C	11/2	13/16	12	4 1/8	1%	11/16	<sup>5</sup> / <sub>8</sub>	3/4	1/2
SPECIAL (RURAL)	24	30	<sup>5</sup> /8	14 %	1%	1 %16	3	11	13/16	2"	С	11/2	17/16	15	6%	2 %	7/8	13/16	7∕a	1/2
OVERSIZE	30	36	3/4	16%	1%	11/2	33/4	131/4	1	21/2"	C	11/2	1%	17	7%	3	11/16	15/16	1	1/2



# R(NJ)9-9S

#### COLORS:

TEXT -BLACK
BACKGROUND -WHITE
STOP SYMBOL -RED
PED SYMBOL -BLACK

SIGN	DIMENSIONS (INCHES)											
	Α	В	С	D	E	F	G	Н	I	J	K	L
STANDARD (URBAN)	18	24	6	2.3	2	2" C	2	1.2	2" C	1.2	9	2.3
SPECIAL (RURAL)	24	30	8	2.7	2 3/4	2½" C	2 3/4	1½	2½" C	1½	11	2.8
OVERSIZE	30	36	9	3.4	3	3" C	3	1.8	3" C	1.8	13 ½	3.5



NOTE: THIS SIGN IS SUPERSEDED BY R(NJ)9-9A.



NOTE: THIS SIGN IS SUPERSEDED BY R(NJ)9-9A.



NOTE: THIS SIGN IS SUPERSEDED BY R10-3a(L) OR R10-3a(R) SIGN.



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS SUPERSEDED BY R10-3a(L), R10-3a(R), OR R10-3 SIGNS.



NOTE: THIS SIGN IS SUPERSEDED BY R10-4a(L), R10-4a(R), R10-4b(L), OR R10-4b(R) SIGNS.



NOTE: THIS SIGN IS SUPERSEDED BY R10-4, R10-4a(L), R10-4a(R), R10-4b(L), OR R10-4b(R) SIGNS.



1" D


1" D

1" D

R(NJ)10-4S

COLORS:
TEXT - BLACK
SYMBOL - WHITE
BACKGROUND - WHITE
SYMBOL BACKGROUND - BLACK

NOTE: THIS IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.





NOTE: THIS SIGN IS SUPERSEDED BY R10-6(L) OR R10-6a(L) SIGNS.





COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE


NOTE: THIS SIGN SUPERSEDED BY R10-6(R) OR R10-6b(R) SIGNS.




NOTE: THIS SIGN SUPERSEDED BY R10-6 SERIES SIGNS.











COLORS: TEXT - BLACK BACKGROUND - WHITE






### R(NJ)10-11C


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY




COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED BELOW REGULATORY SIGN.




NOTE: TO BE MOUNTED BELOW REGULATORY SIGN.



R(NJ)10-11F


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.




R(NJ)10-11G

NOTE: TO BE MOUNTED BELOW REGULATORY SIGN.





COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED BELOW REGULATORY SIGN.



\* REDUCE SPACING TO FIT PANEL WIDTH.






## R(NJ)10-12A

COLORS: BACKGROUND -WHITE

TEXT -BLACK CIRCLE SYMBOL -GREEN

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.




## R(NJ)10-13A

(A x B) C 42" x 12" 4" C 54" x 12" 5" C 60" x 12" 6" C (STANDARD SIZE)

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



## R(NJ)10-13B

COLORS: TEXT - BLACK BACKGROUND - WHITE



R(NJ)10-13C


COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.




COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY. \* REDUCE SPACING TO FIT PANEL WIDTH.



## R(NJ)10-13E


COLORS: TEXT - BLACK BACKGROUND - WHITE



### R(NJ)10-13F

COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



COLORS:

TEXT - BLACK BACKGROUND - WHITE


NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.

#### THIS SIGN IS SUPERSEDED BY R10-32P



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.




COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.

THIS SIGN IS SUPERSEDED BY R10-32P

#### THIS SIGN IS SUPERSEDED BY R10-32P



LETTERS

1" C

1" C

1" C 1" C

ARROW: WIDTH: 3"

LEN( TH. 6"

DITC LE: 10°

R(NJ)10-14C

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.

THIS SIGN IS SUPERSEDED BY R10-3f or R10-3g or R10-3i

PUSH BUTTON
TO CROSS
XXXXXXXXXXXXXXXXX
XXXXXXXXXXXX

1" C

1" C

1" C

1" C (OPTIONAL LINE)

K(NJ):3-1-D

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTES: 1. LAST LINE OPTIONAL.

- 2. BOTTOM LINES TO DISPLAY STREET NAME.
- 3. THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.



3/8"
FUTURA
BOOK
ACCT

I. WHEN THE WALK LIGHT COMES ON, START CROSSING-WATCH FOR TURNING VEHICLES.

2. WHEN FLASHING BEGINS:

12"



a. IF YOU ARE IN THE STREET, YOU WILL HAVE TIME TO FINISH CROSSING:

b. IF YOU HAVE NOT LEFT CURB, DO NOT START TO CROSSI

3. WAIT FOR THE NEXT WALK LIGHT.

9"

## R(NJ)10-14E

(FOR USE WITH A FIXED TIME SIGNAL, NO PED BUTTON)

COLORS:
TEXT - BLACK
BACKGROUND - WHITE

 NOTE:

THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE, UNLESS SPECIFIED OTHERWISE.



1. WHEN THE LIGHT COMES ON. START CROSSING - WATCH FOR TURNING VEHICLES.

**FUTURA** BOOK **ACCT** 

2. WHEN FLASHING **BEGINS**:



12"

- d. IF YOU ARE IN THE STREET, YOU WILL HAVE TIME TO FINISH CROSSING;
- b. IF YOU HAVE NOT LEFT CURB, DO NOT START TO CROSSI
- 3. WAIT FOR THE NEXT K LIGHT.



9"

#### R(NJ)10-14F

(FOR USE WITH A FIXED TIME SIGNAL, NO PED BUTTON)

**COLORS:** 

TEXT - BLACK BACKGROUND - WHITE

**★WHITE ON BLACK** \*\* ORANGE ON BLACK NOTE:

THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE. UNLESS SPECIFIED OTHERWISE.

1. PUSH BUTTON TO CROSS,

WHEN THE WALK LIGHT COMES

ON, START CROSSING-WATCH

FOR TURNING VEHICLES.

3/8"
FUTURA
BOOK
ACCT

- 2. N'ien 'LAS'IIN 3 DU'II Fiegin's:
  - J. IF YOU ARE IN THE STREET, YOU WILL HAVE TIME TO FINISH CROSSING:
  - b. IF YOU HAVE NOT LEFT CURB
    DO NOT START TO CROSSI
- 3. PUSH THE BUTTON AND WAIT FOR THE NEXT WALK LIGHT.

THIS SIGN IS SUPERSEDED BY R10-3c

R(NJ)10-14G
(FOR USE WITH AN ACTUATED SIGNAL)

12"

NOTE:
THIS SIGN IS A DECAL
TYPE CONSTRUCTED WITH
PRESSURE SENSITIVE ADHESIVE,
UNLESS SPECIFIED OTHERWISE.

1. PUSH BUTTON TO CROSS,

WHEN THE LIGHT COMES

ON, START CROSSING - WATCH

FOR TURNING VEHICLES.

3/8"
FUTURA
BOOK
ACCT

2. WHEN FLASHING



B'.G1 15 #

d. IF YOU ARE IN THE STREET
YOU WILL HAVE TIME TO
FINISH CROSSING;

- b. IF YOU HAVE NOT LEFT CURB, DO NOT START TO CROSS!
- FOR THE NEXT TE LIGHT.

THIS SIGN IS SUPERSEDED BY R10-3b -

R(NJ)10-14H

(FOR USE WITH AN ACTUATED SIGNAL)

**COLORS:** 

12"

TEXT - BLACK
BACKGROUND - WHITE
\*\*WHITE ON BLACK

\*\* ORANGE ON BLACK

NOTE:

THIS SIGN IS A DECAL
TYPE CONSTRUCTED WITH
PRESSURE SENSITIVE ADHESIVE,
UNLESS SPECIFIED OTHERWISE.

1. PUSH BUTTON TO CROSS, WHEN THE WALK \*LIGHT COMES ON, START CROSSING

3/8" **FUTURA BOOK ACCT** 

2. WHEN FLASHING BECINS.



12"

- a. IF YOU ARE IN THE STREET. YOU WILL HAVE TIME TO FINISH CROSSING:
- b. IF YOU HAVE NOT LEFT CURB DO NOT START TO CROSS.
- 3. PUSH THE BUTTON AND WAIT FOR THE NEXT WALK LIGHT.

THIS SIGN IS SUPERSEDED BY R10-3c R(NJ)10-14I

(FOR USE WHEN THERE IS NO VEHICULAR /PED CONFLICT)

**COLORS:** TEXT - BLACK \* WHITE ON BLACK \*\* ORANGE ON BLACK UNLESS SPECIFIED OTHERWISE.

NOTE: THIS SIGN IS A DECAL BACKGROUND - WHITE TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE,

1. PUSH BUTTON TO CROSS,
WHEN THE LIGHT COMES
ON, START CROSSING.

3/8"
FUTURA
BOOK
ACCT

2. WHEN FLASHING



BECINS.

12"

- J, IF YOU ARE IN THE STREET,
  YOU WILL HAVE TIME TO
  FINISH CROSSING;
- b. IF YOU HAVE NOT LEFT CURB,
  DO NOT START TO CROSSI
- FOR THE NEXT LIGHT.

THIS SIGN IS SUPERSEDED BY R10-3b


R(NJ)10-14J

(FOR USE WHEN THERE IS NO VEHICULAR /PED CONFLICT)


**COLORS:** 

NOTE:

THIS SIGN IS A DECAL
TYPE CONSTRUCTED WITH
PRESSURE SENSITIVE ADHESIVE,
UNLESS SPECIFIED OTHERWISE.




COLORS: TEXT - BLACK BACKGROUND - WHITE



# R(NJ)10-15A

COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



# R(NJ)10-15S

### **TOP PANEL**

COLORS: LEGEND -BLACK

BACKGROUND -FLUORESCENT YELLOW GREEN

### **BOTTOM PANEL**

COLORS: BACKGROUND -WHITE

"STOP" LEGEND -RED
"FOR" LEGEND -BLACK
PED SYMBOL -BLACK



R(NJ)10-17

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

# **LETTERS**

4" C


4" C

4" C

ARROW: WIDTH: 5"

LENGTH: 9½"

ANGLE: 45°





C

D

E

R(NJ)11-5


COLORS: TEXT - BLACK BACKGROUND - WHITE


A x B C D E

30" x 24" 5" C 5" C 5" C
48" x 36" 8" C 8" C 8" C



R(NJ)12-6





4" C

4" C


4" C / 5" C NUM.

4" C

4" C

R(NJ)12-8L

COLORS: TEXT - BLACK BACKGROUND - WHITE



# **LETTERS**

4" C


4" C

4" C / 5" C NUM.

4" C

4" C

R(NJ)12-8R



4" C

4" C


4" C / 5" C NUM.

4" C

4" C

**R(NJ)12-8AL** 

COLORS: TEXT - BLACK BACKGROUND - WHITE



# **LETTERS**

4" C


4" C

4" C / 5" C NUM.

4" C

4" C

**R(NJ)12-8AR** 



4" C

4" C

4" C / 5" C NUM.

4" C


4" C

# **R(NJ)12-8ARR**

COLORS: BACKGROUND


**TEXT** 

-WHITE -BLACK




COLORS:

TEXT - BLACK
BACKGROUND - WHITE





COLORS: TEXT - BLACK

BACKGROUND - WHITE



COLORS: TEXT - BLACK BACKGROUND - WHITE





4" C


4" C

5" C NUM./4" C


4" C

R(NJ)12-11

COLORS: TEXT - BLACK BACKGROUND - WHITE



R(NJ)12-11A



# R(NJ)12-11B

COLORS: TEXT - BLACK BACKGROUND - WHITE

# **LETTERS**


4" C

4" C

5" C NUM./4" C

ARROW: WIDTH: 4"

LENGTH: 9½" ANGLE: 45°



# **LETTERS**

4" C

4" C

5" C NUM./4" C

4" C

**ARROW:** 


WIDTH: 4"

DIMENSIONS: 8"  $\times$  5\%"

COLORS:

TEXT - BLACK

**BACKGROUND - WHITE** 




"U" - 6" E
"AND RIGHT" - 6" D

6" D

6" D

R(NJ)30-1




"U" - 6" E
"AND LEFT" - 6" D

6" D

6" D

R(NJ)30-2

COLORS: TEXT - BLACK BACKGROUND - WHITE



**LETTERS** 


"U" - 6" E
"AND LEFT" - 6" D

6' D

6" D "ND" - 4" D

R(NJ)30-2A





6 / D

6" D

# U AND LEET TUENS

36"

36"

# **NEXT LEFT**

60"

R(NJ)30-2B

COLORS: TEXT - BLACK BACKGROUND - WHITE

# U AND LEFT TURNS KEEP LEFT

**LETTERS** 


"U" - 6" E
"AND LEFT" - 6" D

6" D


6" D

R(NJ)30-2C

60"



R(NJ)30-2D




"U" - 6" E
"AND RIGHT" - 6" C

6" C

ARROW: WIDTH: 6"

LENGTH: 12" ANGLE: 45°

R(NJ)30-3



"U" - 6" E
"AND RIGHT" - 6" C


6" C

ARROW: WIDTH: 6"

LENGTH: 16" ANGLE: 0°

**R(NJ)30-3BR** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



**LETTERS** 

"U" - 6" E
"AND RIGHT" - 6" C


6" C

ARROW: WIDTH: 6"

LENGTH: 16"

ANGLE: 90°

R(NJ)30-3X



"U" - 6" E
"AND LEFT" - 6" C

6" C

ARROW: WIDTH: 6"

LENGTH: 12" ANGLE: 0°

R(NJ)30-4



"U" - 6" E
"AND LEFT" - 6" C

6" C

ACAC W: WIDT I. "
LENGTH: 2"
ANGLE: 5°

R(NJ)30-4L

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-24a(L).



**LETTERS** 

"U" - 6" E
"AND LEFT" - 6" C


6" C

^ RPOW: W"DTH '" ENG! H: 1 ' ANG! £: 45'

R(NJ)30-4R

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-24a(R).




"U" - 6" E
"AND LEFT" - 6" C

6" C

R(NJ)30-4X

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-26



"U" - 6" E
"AND LEFT" - 6" C


6" C

LENC TH: 6"
ANC LE: 1

R(NJ)30-4BL

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-25a(L)



LETTERS

"U" - 6" E "AND LEFT" - 6" C


6" C

Α (κς 'V: wid' π: \" ''ΞΝ ;TH: 16" ΑΝ ;LE: J°

R(NJ)30-4BR

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-25a(R)



5" E

5" C

5" C


5" C

ARROW: WIDTH: 5"

LENGTH: 9 1/2"

ANGLE: 45°

**R(NJ)30-4LL** 



"U" - 6" E
"TURN" - 6" D

6" D

ARROW: WIDTH: 6"

LENGTH: 16" ANGLE: 90°

R(NJ)30-5



10" E ('U') 8" D ('TURN')

**R(NJ)30-6AR** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

# THIS SIGN IS SUPERSEDED BY R3-24b(R)



# **LETTERS**


10" E ('U') 8" D ('TURN')

LENG (H: 3½" ANG LE: 45°

R(NJ)30-6AL

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE


THIS SIGN IS SUPERSEDED BY R3-24b(L)



C

D

**R(NJ)30-6AX** 






10" E ("U") 8" D ("TURN")


.... 7W ....D .... 6" LEN GTH 12" AN GLE 90°

R(NJ)30-6BX

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-26a





10" E ('U') 8" D ('TURN')

ARRAW WIF (H: 3" LET GTH 16" AT GLF. 0°

**R(NJ)30-6DL** 

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-25b(L)



# **LETTERS**

10" E ('U') 8" D ('TURN')


ARROW: WIDTH: 8"

LEN 51. ': 16" AN 31 F: 11°

R NII) 1,0- 500

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-25b(R)



"U" - 6" E "TURN" - 6" D


6" D

6" D

R(NJ)30-7

COLORS: TEXT - BLACK BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-23a



**LETTERS** 

"NO" - 8"D "U" - 6" E "TURN" - 6" D

6" D

6" D

R(NJ)30-7A


# 30 LITURN NEXT 225T

**LETTERS** 

"U" - 8" E "TURN" - 8" D

R(NJ)30-8


COLORS: TEXT - BLACK BACKGROUND - WHITE



**LETTERS** 

"U" - 8" E "TURN" - 8" D

R(NJ)30-8A



5" E

5" D

5" D


ARROW: WIDTH: 6"

LENGTH: 12"

ANGLE: 0°

# R(NJ)30-9L

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE



# **LETTERS**

5" E


5" D

5" D

ARROW: WIDTH: 6"

LENGTH: 12" ANGLE: 0°

R(NJ)30-9R




"U" - 10"E "TURN" - 8" D

8" D

ARROW: WIDTH: 8"

LENGTH: 16" ANGLE: 45°

**R(NJ)30-9CR** 



R(NJ)30-10

COLORS: TEXT - BLACK BACKGROUND - WHITE

#### **LETTERS**



"U" - 6" E
'TI RN" - 6 D

6 D

"ND" - 4" D

R(NJ)30-11

COLORS: TEXT - BLACK BACKGROUND - WHITE

# U TURN LEFT LANE

**LETTERS** 

"U" - 6" E
"TURN" - 6" D

6" D

R(NJ)30-12

COLORS: TEXT - BLACK BACKGROUND - WHITE ALL TURNS FROM RIGHT LANE

36"

**LETTERS** 

7" C

7" D

7" C

k(NJ)31-1

20"

COLORS: TEXT - BLACK BACKGROUND - WHITE

**THIS SIGN IS SUPERSEDED BY R3-23** 



COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

#### THIS SIGN IS SUPERSEDED BY R3-24



TEXT - BLACK
ARROW - BLACK
BACKGROUND - WHITE

THIS SIGN IS SUPERSEDED BY R3-25



R(NJ)31-2C


COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE

#### **LETTERS**

8" D

ARROW: WIDTH: 8"

LENGTH: 12" ANGLE: 90°



**LETTERS** 

5" C

5" C


ARROW: WIDTH: 6"

LENGTH: 9½"

ANGLE: 45°


R(NJ)31-2D

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




**R(NJ)31-2E** 

COLORS: TEXT - BLACK BACKGROUND - WHITE



R(NJ)31-2F

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE




R(NJ)32-1

COLORS: TEXT - BLACK BACKGROUND - WHITE



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN SUPERSEDED BY W6-3 SIGN.



R(NJ)33-1

COLORS: TEXT - BLACK BACKGROUND - WHITE



R(NJ)34-1A

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE **LETTERS** 

8" D

ARROW: WIDTH: 6"

LENGTH: 12"

ANGLE: 90°



R(NJ)34-1B

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE **LETTERS** 

8" C

ARROW: WIDTH: 8"

LENGTH: 11"

ANGLE: 45°

18" LEFT TURN —>

R(NJ)34-1C

COLORS: TEXT - BLACK ARROW - BLACK BACKGROUND - WHITE **LETTERS** 

8" C

ARROW: WIDTH: 6"


**LENGTH: 12"** 

ANGLE: 0°

**LETTERS** 

C

D




R(NJ)34-1D

(A x B) C D 48" x 24" 6" C 6" C \* 72" x 30" 8" C 8" C

COLORS: TEXT - BLACK BACKGROUND - WHITE


\* REDUCE SPACING TO FIT PANEL WIDTH.




### R(NJ)34-1E

COLORS: TEXT - BLACK BACKGROUND - WHITE

\* REDUCE SPACING TO FIT PANEL WIDTH.



NOTE: MOUNTED BELOW ANOTHER REGULATORY SIGN.



NOTE: MOUNTED BELOW ANOTHER REGULATORY SIGN.




COLORS: LEGEND - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN IS SUPERSEDED BY W1-8(L) SIGN.



COLORS: LEGEND - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN IS SUPERSEDED BY W1-8(R) SIGN.



W(NJ)1-9




 (A x B)
 C
 D
 E
 F
 G

 36" x 36"
 6" D
 8"
 4 ½"
 24"
 7½"

 48" x 48"
 8" D
 10"
 6"
 32"
 10"

COLORS: TEXT - YELLOW SYMBOL - BLACK BACKGROUND - YELLOW



**LETTERS** 

8" C

8" C

8" C

W(NJ)3-4

# TRAFFIC SIGNAL PROVIDES GAPS IN TRAFFIC TO IMPROVE FLOW AT CIRCLE

60"

**LETTERS** 

6" C

6" C

6" C

6" C

6" C

6" C

W(NJ)3-5

72"



W(NJ)4-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN SUPERSEDED BY W4-1(L) OR W4-1(R) SIGNS.



# **R(NJ)4-1A**


"BE ALERT" D 2K; "FOR" D 2K; "WEAVING TRAFFIC" D 2K;




W(NJ)5-5

**COLORS:** TEXT - BLACK **BACKGROUND - YELLOW** 

NOTE: THIS SIGN SUPERSEDED BY W(NJ)5-5A SIGN.






#### **LETTERS**

6" C

6" C

# W(NJ)5-6

COLORS: TEXT - BLACK BACKGROUND - YELLOW





#### **LETTERS**

6" C

6" C


W(NJ)5-6A





## W(NJ)7-5

**COLORS:** TEXT - BLACK **BACKGROUND - YELLOW** 



#### 10" C

10" C

**LETTERS** 

10" C

1"

6" C

6" C

W(NJ)7-6


#### THIS IS SUPERSEDED BY W1-13



# W(NJ)7-7

COLORS: TEXT - BLACK BACKGROUND - YELLOW

(A x A) 36" x 36" (STATE HIGHWAY/EXPRESSWAY) 48" x 48" (FREEWAY)



W(NJ)7-8

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: FOR USE ON FREEWAY TYPE ROADWAYS ONLY.

#### THIS IS SUPERSEDED BY W8-13




W(NJ)8-5A

COLORS: TEXT - BLACK BACKGROUND - YELLOW




COLORS: TEXT - BLACK BACKGROUND - YELLOW


NOTE: THIS SIGN SUPERSEDED BY W(NJ)8-5A SIGN.



W(NJ)8-5C



# W(NJ)8-12



#### **LETTERS**

C

D

E

W(NJ)9-3

(A x B)	С	D	E
48" x 30" (LOCAL) 60" x 36" (U.S./N.	5" D J.) 7" C	5" D 7" D	5" D 7" C
84" x 42" (INTER.)	·	8" D	8" D




**LETTERS** 

"2" - 12" C
"RIGHT" - 8" C
"LANES" - 8" C

8" D

8" D

W(NJ)9-3A



W(NJ)9-3B



W(NJ)9-3L

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN SUPERSEDED BY W9-1(L) OR W9-2(L) SIGNS ACCOMPANIED BY W16-2 PLATE.



COLORS: TEXT - BLACK BACKGROUND - YELLOW


NOTE: THIS SIGN SUPERSEDED BY W9-1(R) OR W9-2(R) SIGNS ACCOMPANIED BY W16-2 PLATE.



W(NJ)9-4

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN SUPERSEDED BY W9-1 AND W9-2 SIGNS.



(A x B) 36" x 12" 30" x 12" 4" C /5" NUM. 3" C /4" NUM.

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: MOUNTED BELOW S1-1 OR W11-2 SIGNS.



W(NJ)11-3


**COLORS:** TEXT - BLACK **BACKGROUND - YELLOW** 

NOTE: THIS SIGN SUPERSEDED BY W11-3 SIGN.




**COLORS:** LEGEND - BLACK **BACKGROUND - YELLOW** 

NOTE: THIS SIGN SUPERSEDED BY W11-3 SIGN.



# W(NJ)11-8A

COLORS: TEXT - BLACK BACKGROUND - YELLOW



# W(NJ)11-8B



**LETTERS** 


6" C

6" C

W(NJ)11-8C

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY.



W(NJ)11-8D


COLORS: TEXT - BLACK BACKGROUND - YELLOW



W(NJ)11-8E

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: TO BE MOUNTED ON SIGNAL MAST ARM ONLY. \* REDUCE SPACING TO FIT PANEL WIDTH.



COLORS: TEXT - BLACK

BACKGROUND - YELLOW

24" 00 FT 00 IN 84"

**LETTERS** 


8" D LETTERS/ 15" D NUM.

#### W(NJ)12-2A

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTES: 1. NO BORDER.

2. MOUNTED ON OBJECT WITH CLEARANCE RESTRICTION.



#### **LETTERS**


8" D LETTERS/

#### W(NJ)12-2B

COLORS: TEXT - BLACK BACKGROUND - YELLOW


NOTES: 1. NO BORDER.

2. MOUNTED ON OBJECT WITH CLEARANCE RESTRICTION.



COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: MOUNTED BELOW ANOTHER WARNING SIGN.



NOTE: MOUNTED BELOW ANOTHER WARNING SIGN.


#### NOTE: THIS SIGN IS SUPERSEDED BY W16-8P SIGN.



W(NJ)16-8A


COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: MOUNTED BELOW W2 SERIES SIGNS.



COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: MOUNTED BELOW W2 SERIES SIGNS.




COLORS: TEXT - BLACK BACKGROUND - YELLOW




COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN TO BE MOUNTED ABOVE R12-1.



W(NJ)24-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW



#### W(NJ)25-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW




**LETTERS** 

В

C

W(NJ)25-2



**LETTERS** 

В

C


W(NJ)25-3

COLORS: TEXT - BLACK BACKGROUND - YELLOW

(A x A) 30" x 30" 36" x 36"

<u>в</u> 4" D 6" С

4" D 6" C



W(NJ)27-1


COLORS: TEXT - BLACK BACKGROUND - YELLOW




#### W(NJ)28-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW

NOTE: THIS SIGN SUPERSEDED BY R3-9b.



NOTE: THIS SIGN, WHEN USED IN CONJUNCTION WITH W(NJ)28-1, SUPERSEDED BY R(NJ)3-8Z.



W(NJ)29-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW **LETTERS** 

10" D

10" D

10" D




**LETTERS** 


8" D

8" D

W(NJ)30-1

COLORS: TEXT - BLACK BACKGROUND - YELLOW 

COLORS: TEXT - BLACK BACKGROUND - WHITE



# 4" D 4" E 4" E 10"E

2" D 2" D 2" D

#### S(NJ)5-1


#### **COLORS:**

"SCHOOL": TEXT - BLACK

BACKGROUND - FLUORESCENT

YELLOW-GREEN

**REMAINDER: TEXT - BLACK** 



### **LETTERS** 4" D 6" C 6" C 6" C

#### S(NJ)5-2

#### **COLORS:**

"SCHOOL": TEXT - BLACK

BACKGROUND - \FLUORESCENT

**REMAINDER: TEXT - BLACK** 

**YELLOW-GREEN** 

# STATIE LAW STOP FOR STOPPED SCHOOL BUS S(NJ)5-3

**COLORS:** 


"STATE LAW": TEXT - WHITE

**BACKGROUND - BLACK** 

REMAINDER: TEXT - BLACK

,

#### THIS IS SUPERSEDED BY D4-2



**LETTERS** 

4" D

4" D

ARROW: WIDTH: 31/2"

LENGTH: 7"


ANGLE: 0°

D(N.)4-2.1.

OLOF 5:

SYMBOLS - WHITE & GREEN BACKGROUND - GREEN

#### THIS IS SUPERSEDED BY D4-2



**LETTERS** 

4" D

4" D

ARROW: WIDTH: 31/2"

LENGTH: 7"

ANGLE: 0°

1 ('4J) - 2/AK

**COLORS:** 

TEXT, ARROWS - WHITE SYMBOLS - WHITE & GREEN BACKGROUND - GREEN



**LETTERS** 


C

D

Ë

#### **D(NJ)4-2B**

COLORS: TEXT - WHITE BACKGROUND - BLUE



LETTERS

4" C

4" C


ARROW: WIDTH: 6"

LENGTH: 12" ANGLE: 0°

#### **D(NJ)5-1L**

COLORS: TEXT, ARROWS - WHITE BACKGROUND - BLUE

NOTE: GENERALLY FOUND WITHIN REST AREAS OR ROADSIDE PICNIC AREAS.



**LETTERS** 

4" C

4" C

ARROW: WIDTH: 6"


LENGTH: 12" ANGLE: 0°

**D(NJ)5-1R** 

**COLORS:** 

TEXT, ARROWS - WHITE BACKGROUND - BLUE


NOTE: GENERALLY FOUND WITHIN REST AREAS OR ROADSIDE PICNIC AREAS.



#### **D(NJ)5-2L**

COLORS: TEXT, ARROWS - WHITE BACKGROUND - BLUE


NOTE: GENERALLY FOUND WITHIN REST AREAS OR ROADSIDE PICNIC AREAS.



#### **D(NJ)5-2R**

COLORS: TEXT, ARROWS – WHITE BACKGROUND – BLUE

NOTE: GENERALLY FOUND WITHIN REST AREAS OR ROADSIDE PICNIC AREAS.



LETTERS

6" C

6" C

10" C NO./6" C

6" D

#### **D(NJ)5-3**

#### **COLORS:**

"REST AREA, EXIT 0/0 MILE"


TEXT - WHITE

BACKGROUND - BLUE

"VEHICLES UNDER, 0 TONS EXCLUDED, 0 PM TO 0 AM"

TEXT - BLACK

BACKGROUND - WHITE



D(NJ)5-4

#### **LETTERS**

6" C

6" C

10" C NO./6" C

6" D

ARROW: LENGTH: 91/2 "

HEIGHT: 7"

ANGLE: 45°

#### **COLORS:**

"REST AREA", ARROW

TEXT - WHITE

**BACKGROUND - BLUE** 

"VEHICLES UNDER, 0 TONS EXCLUDED, 0 PM TO 0 AM"

TEXT - BLACK



#### **LETTERS**

6" HELVETICA MEDIUM

12" PHONE 10" E NUMBERS 3" x 2" DASH

5" HELVETICA MEDIUM

D(NJ)9-1

COLORS: TEXT - WHITE SYMBOL - WHITE BACKGROUND - BLUE



#### **LETTERS**

C


\_

E

F

#### D(NJ)9-2A


COLORS: TEXT - WHITE BACKGROUND - BLUE



**D(NJ)9-2BL** 

COLORS:
ARROW - WHITE
BACKGROUND - BLUE


#### THIS IS SUPERSEDED BY M6-1(L)



**D(NJ)9-2BR** 

COLORS:
ARROW - WHITE
BACKGROUND - BLUE


THIS IS SUPERSEDED BY M6-1(R)



**D(NJ)9-2C** 

COLORS: TEXT - WHITE BACKGROUND - BLUE 6" D

6" D NUMBERS



\* RETROREFLECTIVE
SHEETING, TYPE IV-A
(PER NJDOT SUPPLEMENTAL
SPECIFICATIONS)


4" D

4" D

# D(NJ)10-1 TENTH MILE MARKER PANEL DETAIL


**COLORS:** 

TEXT- WHITE BACKGROUND- GREEN




# D(NJ)10-2 TENTH MILE MARKER PANEL DETAIL

COLORS: TEXT- WHITE BACKGROUND- GREEN




## D(NJ)10-3 TENTH MILE MARKER PANEL DETAIL

COLORS: TEXT- WHITE BACKGROUND- GREEN




COLORS: TEXT - WHITE TAPE - WHITE BACKGROUND - GREEN




COLORS: TEXT - WHITE TAPE - WHITE BACKGROUND - GREEN

NOTE: THIS SIGN IS A DECAL TYPE CONSTRUCTED WITH PRESSURE SENSITIVE ADHESIVE.




#### D(NJ)14-1

COLORS: TEXT - WHITE BACKGROUND - GREEN NOTE: NO BORDER



D(NJ)14-2

COLORS: TEXT - WHITE BACKGROUND - GREEN NOTE: NO BORDER




#### **LETTERS**

6"C UC /4 1/2"C LC 7"C UC /5 1/4"C LC

#### **D(NJ)15-1**

# Lines	В	# of Letters In Longest Line	_ <b>A</b> _
2	24"	8	48"
3	36"	10	60"
4	48"	13	72"
		15	84"

**COLORS:** TEXT - WHITE **BACKGROUND - GREEN** 



#### **LETTERS**

6"C UC /4 1/2"C LC

7"C UC /5 ¼"C LC

5"C LC

7"C UC /5 1/4"C LC

D(NJ)15-2

# of Letters In Longest Line	<u>A</u>	<u>B</u>
8	48"	48"
10	60"	48"
13	72"	48"
15	84"	48"

COLORS: TEXT - WHITE BACKGROUND - GREEN

### THIS IS SUPERSEDED BY D9-18b



## D(NJ)16-1

(A x B)	# PLATES	PLATE SIZE	C
48" x 60"	4	18"	6" C
72" x 72"	4	24"	8" C
84" x 60"	6	<b>18</b> "	6" C
96" x 72"	6	24"	8" C

COLORS: SYMBOLS - WHITE (KNIFE & FORK ONLY - BLUE) BACKGROUND - BLUE


## **THIS IS SUPERSEDED BY D9-18b**



# **D(NJ)16-2**

(A x B)	# PLATES	PLATE SIZE	C
48" x 60"	4	<u> 18"</u>	6" C
72" x 72"	4	24"	8" C
84" x 60"	6	18"	6" C
96" x 72"	6	24"	8" C

COLORS: SYMBOLS - WHITE (KNIFE & FORK ONLY - BLUE) BACKGROUND - BLUE



ARROW (24" SHIELDS):

WIDTH: 12" LENGTH: 30" ANGLE: 0°


ARROW (18" SHIELDS):

WIDTH: 6" LENGTH: 22" ANGLE: 0°

## **D(NJ)16-3L**

(A x B)	# PLATES	PLATE SIZE
48" x 72"	4	18"
72" x 84"	4	24"
84" x 72"	6	18"
96" x 84"	6	24"

COLORS: SYMBOLS - WHITE (KNIFE & FORK ONLY - BLUE) ARROW - WHITE BACKGROUND - BLUE



ARROW (24" SHIELDS):

WIDTH: 12" LENGTH: 30" ANGLE: 0°

ARROW (18" SHIELDS):


WIDTH: 6" LENGTH: 22" ANGLE: 0°

## **D(NJ)16-3R**

(A x B)	# PLATES	PLATE SIZE
48" x 72"	4	18"
72" x 84"	4	24"
84" x 72"	6	18"
96" x 84"	6	24"

COLORS: SYMBOLS – WHITE (KNIFE & FORK ONLY – BLUE) ARROW – WHITE BACKGROUND – BLUE

. 



#### **LETTERS**

В

M(NJ)1-6

COLORS:
SHIELD:
TEXT - YELLOW
BACKGROUND - BLUE
OUTLINE:
BACKGROUND - YELLOW

### B (TEXT SIZE)

(A x A)	2 DIGITS	3 DIGITS
18" x 18"	6" D	6" C
24" x 24"	8" D	8" C
30" x 30"	10" D	10" C
36" x 36"	15" E	15" B


- NOTES: 1. THIS SIGN IS USED ONLY ON A MAIN GUIDE SIGN PANEL.
  - 2. THE BACKGROUND PANEL DOES NOT HAVE A BORDER.
  - 3. THE COUNTY NAME IS NOT SHOWN ON SHIELD.
  - 4. THE 36" X 36" SIZE IS STANDARD FOR OVERHEAD AND LARGE GROUND MOUNTED SIGNS.



COLORS: TEXT - BLACK BACKGROUND - WHITE

NOTE: THIS SIGN IS SUPERSEDED BY M1-6 OR M(NJ)1-6 SIGNS.

### THIS IS SUPERSEDED BY M2-1(oversized)



COLORS: (INTERSTATE ROUTES)
TEXT - WHITE
BACKGROUND - BLUE

COLORS: (N.J., U.S. ROUTES)
TEXT - BLACK
BACKGROUND - WHITE

COLORS: (COUNTY ROUTES)
TEXT - YELLOW
BACKGROUND - BLUE

NOTE: OVERSIZED VERSION OF FEDERAL M2-1.

## THIS IS SUPERSEDED BY M3-1(oversized)



COLORS: (INTERSTATE ROUTES)
TEXT - WHITE
BACKGROUND - BLUE


COLORS: (N.J., U.S. ROUTES)
TEXT - BLACK
BACKGROUND - WHITE

COLORS: (COUNTY ROUTES)
TEXT - YELLOW
BACKGROUND - BLUE

NOTES: 1. OVERSIZED VERSION OF FEDERAL M3-1.

2. TYPICAL OF ALL M3 SERIES CARDINAL DIRECTION MARKERS.

### THIS IS SUPERSEDED BY M4-5 (oversized)



COLORS: (INTERSTATE ROUTES)
TEXT - WHITE
BACKGROUND - BLUE

COLORS: (N.J., U.S. ROUTES)
TEXT - BLACK

**BACKGROUND - WHITE** 

COLORS: (COUNTY ROUTES)
TEXT - YELLOW
BACKGROUND - BLUE

NOTE: OVERSIZED VERSION OF FEDERAL M4-5.

#### **THIS IS SUPERSEDED BY M4-14**

**LETTERS** 



COLORS: TEXT - BLACK BACKGROUND - WHITE


NOTE: THIS SIGN, TYPICALLY MOUNTED ABOVE ROUTE MARKERS, CAN ALSO BE MOUNTED ABOVE CERTAIN REGULATORY SIGNS, ie. R2-1 OR R3-9 SERIES SIGNS.


(A x B) C 24" x 12" 6" C 36" x 18" 8" C

COLORS: (INTERSTATE ROUTES)
TEXT - WHITE
BACKGROUND - BLUE

COLORS: (N.J., U.S. ROUTES)
TEXT - BLACK
BACKGROUND - WHITE

COLORS: (COUNTY ROUTES)
TEXT - YELLOW
BACKGROUND - BLUE





M(NJ)5-1R

M(NJ)5-1R

COLORS: (INTERSTATE ROUTES)

TEXT - WHITE

**BACKGROUND - BLUE** 

**COLORS: (N.J., U.S. ROUTES)** 

TEXT - BLACK

**BACKGROUND - WHITE** 


**COLORS: (COUNTY ROUTES)** 


TEXT - YELLOW

**BACKGROUND - BLUE** 

NOTES: 1. OVERSIZED VERSION OF FEDERAL M5-1R.

2. TYPICAL OF ALL M5 AND M6 SERIES SIGNS.





$(A \times B)$	<u>C</u>	D
21" x 15"	4"D	4"D
32" x 23"	6"D	6"D

COLORS: (INTERSTATE ROUTES)

**COLORS: (N.J., U.S. ROUTES)** 

TEXT - WHITE

TEXT - BLACK

BACKGROUND - BLUE

BACKGROUND - WHITE

**COLORS: (COUNTY ROUTES)** 

TEXT - YELLOW

**BACKGROUND - BLUE** 



OM(NJ)-4AL

OM(NJ)-4AR



OM(NJ)-4BL

OM(NJ)-4BR

COLORS:
ARROW - BLACK
BACKGROUND - YELLOW

NOTE: THESE SIGNS SUPERSEDED BY OM-3 SIGNS.